


## ОБЖИМНЫЕ МУФТЫ И ФИТИНГИ "INTERLOCK"

### ВТУЛКА КВР12 INTERLOCK


Для рукава:  
a) 4SH b) R12



Код	Диам. рукава ID		D	L	d	зачистка		Тип рукава
	"	мм				нар. мм	внутр. мм	
0700802020	1.1/4"	31,8	55,0	88,0	44,2	74,0	21,5	a; b
0700802424	1.1/2"	38,1	62,0	94,0	51,3	81,0	22,0	a; b
0700803232	2"	50,8	78,0	99,0	66,0	85,0	29,0	a


### ВТУЛКА КВР13 INTERLOCK

Для рукава:  
a) R13 d) 4SH  
b) R15 e) R12 c) R9R/4SP



Код	Диам. рукава ID		D	L	d	зачистка		Тип рукава
	"	мм				нар. мм	внутр. мм	
0700901212	3/4"	19,0	38,0	60,0	30,0	52,0	15,0	a; b; c; d; e
0700901616	1"	25,4	46,0	74,5	37,3	65,0	17,0	a; b; c; d; e
0700902020	1.1/4"	31,8	60,0	88,0	49,5	74,0	21,5	a; b
0700902424	1.1/2"	38,1	67,0	94,0	56,0	81,0	22,0	a; b
0700903232	2"	50,8	84,5	99,0	71,0	85,0	29,0	a

### ВСП КОНИЧЕСКИЙ ШТУЦЕР, 60° КОНУС KPMС




Код	Рукав		Т (резьба)	d	E	C
	дюйм	мм				
0702011227	3/4	19,0	3/4-14	14,0	30	35
0702011633	1	25,4	1-11	20,0	36	41
0402012042	1.1/4	31,8	1.1/4-11	26,0	46	44
0702012448	1.1/2	38,1	1.1/2-11	32,0	50	47
0702013251	2	50,8	2-11	42,0	65	54

### NPTF ШТУЦЕР, 60° КОНУС KPMN




Код	Рукав		Т (резьба)	d	E	C
	дюйм	мм				
0702021227	3/4	19,0	3/4-14	14,0	30	35
0702021633	1	25,4	1-11.1/2	20,0	36	41
0702022042	1.1/4	31,8	1.1/4-11.1/2	26,0	46	44
0702022448	1.1/2	38,1	1.1/2-11.1/2	32,0	50	47
0702023251	2	50,8	2-11.1/2	42,0	65	54

**ВСП ПАРАЛЛЕЛЬНЫЙ  
ШТУЦЕР, 60° КОНУС  
KPMG**




Код	Рукав		Т (резьба)		d	E	C
	дюйм	мм	дюйм	мм	мм	мм	мм
0702001227	3/4	19,0	3/4-14	14,0	14,0	32	33
0702001633	1	25,4	1-11	11,0	20,0	38	37
0702002042	1.1/4	31,8	1.1/4-11	11,0	26,0	50	42
0702002448	1.1/2	38,1	1.1/2-11	11,0	32,0	55	44
0702003251	2	50,8	2-11	11,0	42,0	70	53

**ВСП ГАЙКА,  
60° КОНУС  
KPRFG**




Код	Рукав		Т (резьба)		d	E	C
	дюйм	мм	дюйм	мм	мм	мм	мм
0716401227	3/4	19,0	3/4-14	14,0	14,0	32	23
0716401633	1	25,4	1-11	11,0	20,0	38	26
0716402042	1.1/4	31,8	1.1/4-11	11,0	26,0	50	29
0716402448	1.1/2	38,1	1.1/2-11	11,0	32,0	55	31
0716403251	2	50,8	2-11	11,0	42,0	70	30

**ВСП 90° ГАЙКА,  
60° КОНУС  
KPRFG-90**




Код	Рукав		Т (резьба)		d	E	H	C
	дюйм	мм	дюйм	мм	мм	мм	мм	мм
0727401227	3/4	19,0	3/4-14	14,0	14,0	32	59	54
0727401633	1	25,4	1-11	11,0	20,0	38	73	69
0727402042	1.1/4	31,8	1.1/4-11	11,0	26,0	50	81	88
0727402448	1.1/2	38,1	1.1/2-11	11,0	30,0	55	95	98
0727403251	2	50,8	2-11	11,0	40,0	70	132	122

**ВСП 45° ГАЙКА,  
60° КОНУС  
KPRFG-45**




Код	Рукав		Т (резьба)		d	E	H	C
	дюйм	мм	дюйм	мм	мм	мм	мм	мм
0728401227	3/4	19,0	3/4-14	14,0	14,0	32	28	70
0728401633	1	25,4	1-11	11,0	20,0	38	38	87
0728402042	1.1/4	31,8	1.1/4-11	11,0	26,0	50	49	101
0728402448	1.1/2	38,1	1.1/2-11	11,0	30,0	55	56	115
0728403251	2	50,8	2-11	11,0	40,0	70	68	141

**ЛІС ШТУЦЕР, 74° КОНУС  
KPMJ**




Код	Рукав		Т (резьба)		d	E	C
	дюйм	мм	дюйм	мм	мм	мм	мм
0702551227	3/4	19,0	1.1/16-12	12,0	14,0	27	36
0702551633	1	25,4	1.5/16-12	12,0	20,0	34	40
0702552041	1.1/4	31,8	1.5/8-12	12,0	26,0	42	44
0702552448	1.1/2	38,1	1.7/8-12	12,0	32,0	50	49
0702553252	2	50,8	2.1/2-12	12,0	42,0	65	61

**ЛС ГАЙКА 74° КОНУС  
KRFJ**




Код	Рукав		Т (резьба)		d	E	C
	дюйм	мм	дюйм	мм	мм	мм	мм
0716451227	3/4	19,0	1.1/16-12	14,0	32	19	
0716451633	1	25,4	1.5/16-12	20,0	41	23	
0716452041	1.1/4	31,8	1.5/8-12	26,0	50	26	
0716452448	1.1/2	38,1	1.7/8-12	32,0	55	29	
0716453252	2	50,8	2.1/2-12	42,0	70	30	

**ЛС 90° ГАЙКА, 74° КОНУС  
KRFJ-90**




Код	Рукав		Т (резьба)		d	E	H	C
	дюйм	мм	дюйм	мм	мм	мм	мм	мм
0727451227	3/4	19,0	1.1/16-12	14,0	32	57	58	
0727451633	1	25,4	1.5/16-12	20,0	41	74	69	
0727452041	1.1/4	31,8	1.5/8-12	26,0	50	82	88	
0727452448	1.1/2	38,1	1.7/8-12	30,0	55	96	98	
0727453252	2	50,8	2.1/2-12	40,0	70	132	122	

**ЛС 45° ГАЙКА, 74° КОНУС  
KRFJ-45**




Код	Рукав		Т (резьба)		d	E	H	C
	дюйм	мм	дюйм	мм	мм	мм	мм	мм
0728451227	3/4	19,0	1.1/16-12	14,0	32	26	69	
0728451633	1	25,4	1.5/16-12	20,0	41	38	87	
0728452041	1.1/4	31,8	1.5/8-12	26,0	50	50	103	
0728452448	1.1/2	38,1	1.7/8-12	30,0	55	58	117	
0728453252	2	50,8	2.1/2-12	40,0	70	68	141	

**МЕТРИЧЕСКИЙ ШТУЦЕР  
24° КОНУС  
KPMDS DIN 3853**




Код	Рукав		Т (резьба)		d трубы	d	E	C
	дюйм	мм	мм	мм	мм	мм	мм	мм
0706031230	3/4	19,0	M30-2	20,0	14,0	30	32	
0706031236	3/4	19,0	M36-2	25,0	14,0	36	36	
0706031642	1	25,4	M42-2	30,0	20,0	46	39	
0706032052	1.1/4	31,8	M52-2	38,0	26,0	55	47	

**МЕТРИЧЕСКАЯ ГАЙКА  
24° КОНУС  
KPF-DKOS DIN 3865**




Код	Рукав		Т (резьба)		d трубы	d	E	C
	дюйм	мм	мм	мм	мм	мм	мм	мм
0723241230	3/4	19,0	M30-2	20,0	14,0	36	31	
0723241236	3/4	19,0	M36-2	25,0	14,0	46	37	
0723241636	1	25,4	M36-2	25,0	20,0	46	38	
0723241642	1	25,4	M42-2	30,0	20,0	50	41	
0723242042	1.1/4	31,8	M42-2	30,0	26	50	42	
0723242052	1.1/4	31,8	M52-2	38,0	26,0	60	42	

**90° МЕТРИЧЕСКАЯ  
ГАЙКА 24° КОНУС  
KPF-DKOS-90 DIN 3865**




Код	Рукав		Т (резьба)	d трубы	d	E	H	C
	дюйм	мм						
0738241230	3/4	19,0	M30-2	20,0	14,0	41	55	55
0738241236	3/4	19,0	M36-2	25,0	14,0	46	58	54
0738241642	1	25,4	M42-2	30,0	20,0	50	65	69
0738242052	1.1/4	31,8	M52-2	38,0	26,0	60	82	80

**45° МЕТРИЧЕСКАЯ  
ГАЙКА 24° КОНУС  
KPF-DKOS-45 DIN 3865**




Код	Рукав		Т (резьба)	d трубы	d	E	H	C
	дюйм	мм						
0740241230	3/4	19,0	M30-2	20,0	14,0	41	30	70
0740241236	3/4	19,0	M36-2	25,0	14,0	46	31	71
0740241642	1	25,4	M42-2	30,0	20,0	50	33	80
0740242052	1.1/4	31,8	M52-2	38,0	26,0	60	47	99

**ФЛАНЕЦ SAE 3000  
KPFDC3**




Код	Рукав		Т фланец		d	C
	дюйм	мм	дюйм	мм		
0754061227	3/4	19,0	3/4	38,1	14,0	47
0754061233	3/4	19,0	1	44,5	14,0	50
0754061633	1	25,4	1	44,5	20,0	52
0754061642	1	25,4	1.1/4	50,8	20,0	55
0754062042	1.1/4	31,8	1.1/4	50,8	26,0	56
0754062048	1.1/4	31,8	1.1/2	60,4	26,0	59
0754062448	1.1/2	38,1	1.1/2	60,4	32,0	60
0754062451	1.1/2	38,1	2	71,4	32,0	65
0754063251	2	50,8	2	71,4	42,0	67

**90° ФЛАНЕЦ SAE 3000  
KPFDC-3-90**




Код	Рукав		Т фланец		d	H	C
	дюйм	мм	дюйм	мм			
0755061227	3/4	19,0	3/4	38,1	14,0	53,0	54
0755061233	3/4	19,0	1	44,5	14,0	58,0	54
0755061633	1	25,4	1	44,5	20,0	69,0	69
0755061642	1	25,4	1.1/4	50,8	20,0	75,0	69
0755062042	1.1/4	31,8	1.1/4	50,8	26,0	56,0	88
0755062048	1.1/4	31,8	1.1/2	60,4	26,0	59,0	88
0755062448	1.1/2	38,1	1.1/2	60,4	30,0	87,0	98
0755062451	1.1/2	38,1	2	71,4	30,0	90,0	98
0755063251	2	50,8	2	71,4	40,0	115,0	122

### 45° ФЛАНЕЦ SAE 3000 KPFDC-3-45




Код	Рукав		Т фланец		d	H	C
	дюйм	мм	дюйм	мм			
0757061227	3/4	19,0	3/4	38,1	14,0	27,0	67
0757061233	3/4	19,0	1	44,5	14,0	31,0	71
0757061633	1	25,4	1	44,5	20,0	35,0	84
0757061642	1	25,4	1.1/4	50,8	20,0	39,0	88
0757062042	1.1/4	31,8	1.1/4	50,8	26,0	46,0	98
0757062048	1.1/4	31,8	1.1/2	60,4	26,0	48,0	100
0757062448	1.1/2	38,1	1.1/2	60,4	30,0	51,0	110
0757062451	1.1/2	38,1	2	71,4	30,0	53,0	113
0757063251	2	50,8	2	71,4	40,0	56,0	128

### ФЛАНЕЦ SAE 6000 KPFDC-6



Код	Рукав		Т фланец		d	C
	дюйм	мм	дюйм	мм		
0765061227	3/4	19,0	3/4	41,3	14,0	51
0765061233	3/4	19,0	1	47,6	14,0	57
0765061633	1	25,4	1	47,6	20,0	59
0765061642	1	25,4	1.1/4	54,0	20,0	66
0765062042	1.1/4	31,8	1.1/4	54,0	26,0	67
0765062048	1.1/4	31,8	1.1/2	63,5	26,0	73
0765062448	1.1/2	38,1	1.1/2	63,5	32,0	74
0765062451	1.1/2	38,1	2	79,4	32,0	82
0765063251	2	50,8	2	79,4	42,0	84

### 90° ФЛАНЕЦ SAE 6000 KPFDC-6-90




Код	Рукав		Т фланец		d	H	C
	дюйм	мм	дюйм	мм			
0767061227	3/4	19,0	3/4	41,3	14,0	57,0	54
0767061233	3/4	19,0	1	47,6	14,0	63,0	54
0767061633	1	25,4	1	47,6	20,0	74,0	69
0767061642	1	25,4	1.1/4	54,0	20,0	81,0	69
0767062042	1.1/4	31,8	1.1/4	54,0	26,0	82,0	88
0767062048	1.1/4	31,8	1.1/2	63,5	26,0	90,0	88
0767062448	1.1/2	38,1	1.1/2	63,5	32,0	97,0	98
0767062451	1.1/2	38,1	2	79,4	32,0	110,0	98
0767063251	2	50,8	2	79,4	42,0	136,0	122

#### УДЛИНЁННЫЙ ТИП

0767101227	3/4	19,0	3/4	41,3	14,0	100,0	54
0767121633	1	25,4	1	47,6	20,0	120,0	69
0767112042	1.1/4	31,8	1.1/4	54,0	26,0	115,0	88
0767122042	1.1/4	31,8	1.1/4	54,0	26,0	120,0	88
0767142042	1.1/4	31,8	1.1/4	54,0	26,0	140,0	88
0767142448	1.1/2	38,1	1.1/2	63,5	32,0	140,0	98


### 45° ФЛАНЕЦ SAE 6000 KPFDC-6-45



Код	Рукав		Т фланец		d	H	C
	дюйм	мм	дюйм	мм			
0769061227	3/4	19,0	3/4	41,3	14,0	27,0	70
0769061233	3/4	19,0	1	47,6	14,0	32,0	74
0769061633	1	25,4	1	47,6	20,0	38,0	87
0769061642	1	25,4	1.1/4	54,0	20,0	43,0	92
0769062042	1.1/4	31,8	1.1/4	54,0	26,0	50,0	102
0769062048	1.1/4	31,8	1.1/2	63,5	26,0	56,0	108
0769062448	1.1/2	38,1	1.1/2	63,5	32,0	59,0	118
0769062451	1.1/2	38,1	2	79,4	32,0	68,0	127
0769063251	2	50,8	2	79,4	42,0	71,0	144


### ФЛАНЕЦ SUPERCAT

#### CAT




Код	Рукав		Т фланец		d	C
	дюйм	мм	дюйм	мм		
0765091227	3/4	19,0	1	41,6	14,0	55
0765091633	1	25,4	1	47,6	20,0	62
0765092042	1.1/4	31,8	1.1/4	54,0	26,0	71

### 90° ФЛАНЕЦ SUPERCAT CAT-90



Код	Рукав		Т фланец		d	H	C
	дюйм	мм	дюйм	мм			
0765091227	3/4	19,0	1	41,6	14,0	62,0	56
0765091633	1	25,4	1	47,6	20,0	79,0	69
0765092042	1.1/4	31,8	1.1/4	54,0	26,0	86,0	88

### 45° ФЛАНЕЦ SUPERCAT CAT-45



Код	Рукав		Т фланец		d	H	C
	дюйм	мм	дюйм	мм			
0765091227	3/4	19,0	1	41,6	14,0	30,0	73
0765091633	1	25,4	1	47,6	20,0	44,0	91
0765092042	1.1/4	31,8	1.1/4	54,0	26,0	54,0	106